




Scalable Detection of Semantic Clones

By

Mark Gabel, Lingxiao Jiang and
Zhendong Su

- CloneDR 1998 [3]
- CCFinder 2002 [10]
- CP-Miner 2004 [14]
- Deckard 2007 [9]
- Kontogiannis et al. 1996 [13]
- Mayrand et al. 1996 [17]
- Wahler et al. 2004 [19]
- Basit and Jarzabek et al. 2005 [2]
- Gionis et al. 1999 [7]



References

- [1] G. Ammons, R. Bodík, and J. R. Larus. Mining specifications. In Proceedings of POPL, 2002.
- [2] H. A. Basit and S. Jarzabek. Detecting higher-level similarity patterns in programs. In ESEC/FSE, 2005.
- [3] I. D. Baxter, A. Yahin, L. Moura, M. Sant'Anna, and L. Bier. Clone detection using abstract syntax trees. In ICSM, 1998.
- [4] S. Bellon. Comparison and evaluation of clone detection tools. IEEE Trans. Softw. Eng., 33(9), 2007. Member-Rainer Koschke and Member-Giulio Antoniol and Member-Jens Krinke and Member-Ettore Merlo.
- [5] M. Bruntink, A. van Deursen, T. Tourwe, and R. van Engelen. An evaluation of clone detection techniques for identifying crosscutting concerns. In Proceedings of ICSM, 2004.
- [6] J. Ferrante, K. J. Ottenstein, and J. D. Warren. The program dependence graph and its use in optimization. ACM Trans. Program. Lang. Syst., 9(3), 1987.
- [7] A. Gionis, P. Indyk, and R. Motwani. Similarity search in high dimensions via hashing. In VLDB, 1999.
- [8] S. Horwitz, T. Reps, and D. Binkley. Interprocedural slicing using dependence graphs. ACM Trans. Program. Lang. Syst., 12(1), 1990.
- [9] L. Jiang, G. Misherghi, Z. Su, and S. Glondu. Deckard: Scalable and accurate tree-based detection of code clones. In Proceedings of ICSE, 2007.
- [10] T. Kamiya, S. Kusumoto, and K. Inoue. CCFinder: a multilinguistic token-based code clone detection system for large scale source code. TSE, 28(7), 2002.
- [11] R. Komondoor and S. Horwitz. Semantics-preserving procedure extraction. In POPL, 2000.
- [12] R. Komondoor and S. Horwitz. Using slicing to identify duplication in source code. In SAS, 2001.
- [13] K. Kontogiannis, R. de Mori, E. Merlo, M. Galler, and M. Bernstein. Pattern matching for clone and concept detection. Automated Soft. Eng., 3(1/2), 1996.
- [14] Z. Li, S. Lu, S. Myagmar, and Y. Zhou. CP-Miner: A tool for finding copy-paste and related bugs in operating system code. In OSDI, 2004.
- [15] Z. Li and Y. Zhou. PR-Miner: Automatically extracting implicit programming rules and detecting violations in large software code. In ESEC/FSE, 2005.
- [16] C. Liu, C. Chen, J. Han, and P. S. Yu. GPLAG: detection of software plagiarism by program dependence graph analysis. In KDD '06: Proceedings of the 12th ACM SIGKDD international conference on Knowledge discovery and data mining, 2006.
- [17] J. Mayrand, C. Leblanc, and E. Merlo. Experiment on the automatic detection of function clones in a software system using metrics. In ICSM, 1996.
- [18] S. Schleimer, D. S. Wilkerson, and A. Aiken. Winnowing: local algorithms for document fingerprinting. In SIGMOD, 2003.
- [19] V. Wahler, D. Seipel, J. W. von Gudenberg, and G. Fischer. Clone detection in source code by frequent itemset techniques. In SCAM, 2004.
- [20] M. Weiser. Program slicing. In ICSE '81: Proceedings of the 5th international conference on Software engineering, 1981.
- [21] R. Yang, P. Kalnis, and A. K. H. Tung. Similarity evaluation on tree-structured data. In SIGMOD, 2005.